


Technical data sheet

Blanking lid, branch trunking

Item number: 7404848



On-floor blind lid to cover AIKA on-floor branch trunking, suitable for the AIK/U trunking bases. The trunking lid is screwed tight to the AI side profiles of the trunking base. The lid slope extends beyond the trunking base at a 45° angle on both sides.



St

Steel

FS

Strip galvanized

Master data

Item number	7404848
Type	AIKA D 25040
Description 1	Blanking lid
Description 2	for onfloor junction trunking
Manufacturer	OBO
Material	Steel
Surface	Strip galvanized
Surface standard	DIN EN 10346
Smallest sales unit	1
Unit of quantity	Piece
Weight	659 kg
Weight unit	kg/100 pc.
CO2 Footprint (GWP) Cradle-to-Gate	17,2614 kg CO2e / 1 Piece


Technical data sheet

Blanking lid, branch trunking


Item number: 7404848



Dimensions



Length	800 mm
Width	250 mm
Height	40 mm
Dimension b	324 mm
Dimension h	37 mm



Technical data sheet

Blanking lid, branch trunking

Item number: 7404848



Technical data

Number of mounting openings	0
Version for	Cover sloping on both sides
Function	Branch
With connection opening	no
With overhang	yes
Mounting opening	Without