## **Technical data sheet**

Mounting and connection profile for convection grids, trunking height 70 mm ltem number: 6279822





Mounting and connection profile for panel mounting of device installation trunking in conjunction with vertical convection grids. The installation and connection profile is locked onto the fixing panel and accepts the profile connector, type PVV/N2... vertically. Please observe the trunking dimensions.

The mesh slats are simply attached to the slat holder.

CERK

St

Steel

FS

Strip galvanized

## Master data

Item number	6279822
Туре	MVKG70170
Description 1	Mounting and conn. profile
Description 2	for vertical convection grid
Manufacturer	OBO
Dimension	99x360x68
Colour	zinc
Material	Steel
Surface	Strip galvanized
Surface standard	DIN EN 10346
Smallest sales unit	1
Unit of quantity	Piece
Weight	49 kg
Weight unit	kg/100 pc.
CO2 Footprint (GWP) Cradle-to- Gate	3,0625 kg CO2e / 1 Piece

## **Technical data sheet**

Mounting and connection profile for convection grids, trunking height 70 mm ltem number: 6279822





		ata

Version for	Wall mounting	
Fastening type	Lockable	
r dotoring type	Lockabic	
for duct dimension	70x170	
for duct dimension	/UX1/U	
Trunking mounting	Attach and screw	